

REMARKS

This is an Amendment After Allowance Pursuant to 37 C.F.R. §1.312 in the above-identified application. Claims 21 and 47-91 are pending in this application. By this Amendment After Allowance Pursuant to 37 C.F.R. §1.312, Applicant has amended the Specification, in each of the instances shown, and Applicant has amended Claims 53 and 60. Applicant respectfully submits that the amendments to the Specification do not contain new matter. Applicant respectfully submits that the amendments to Claims 53 and 60 do not contain new matter. Applicant further submits that the amendments to Claims 53 and 60 were not made for purposes related to patentability.

I. THE AMENDMENTS TO THE SPECIFICATION AND APPLICANT'S RESPONSE TO THE EXAMINER'S AMENDMENT TO THE SPECIFICATION AT PAGE 14, LINE 19, AT PAGE 33, LINE 19, AND AT PAGE 77, LINE 6:

Applicant has amended the Specification in the instances shown and Applicant hereby responds to the Examiner's Amendment to the Specification, mailed September 17, 2008. Applicant respectfully submits that the Examiner's amendments to the Specification at page 14, line 19, at page 33, line 19, and at page 77, line 6, contain inadvertent mistakes, as described herein, which were not authorized by the Applicant.

In order to respond to, and in order to correct the inadvertent mistakes in the Examiner's Amendment to the Specification, Applicant respectfully requests: 1) that the Examiner's Amendment to page 14, line 19, be superseded by, and be corrected by, entry of Applicant's amendment to the paragraph beginning at page 14, line 16; 2) that the Examiner's Amendment to page 33, line 19, be superseded by, and be corrected by, entry of Applicant's amendment to the paragraph beginning at page 33, line 19; and 3) that the Examiner's Amendment to page 77, line 6, be superseded by, and be corrected by, entry of Applicant's amendments to the paragraph beginning at page 76, line 15.

Applicant has amended the Specification at the paragraph beginning at page 14, line 16, so as to delete "the the" before "an", as shown, in order to correct an inadvertent mistake in the Examiner's Amendment. It is respectfully noted that the Examiner's Amendment to page 14, line 19, inadvertently inserted "the" before "an" instead of deleting "the" before "an". Applicant respectfully submits that the above amendment to the Specification at the paragraph beginning on page 14, line 16, does not contain new matter. Entry of the amendment to the Specification at the paragraph beginning on page 14, line 16, is respectfully requested.

Applicant has amended the Specification at the paragraph beginning at page 33, line 19, so as to replace "skill" with -- skilled --, as shown, in order to correct an inadvertent mistake in the Examiner's Amendment. It is respectfully noted that the Examiner's Amendment to page 33, line 19, inadvertently noted that the replacement of "skill" with "skilled" was to be made at line 19 of page 33. However, the word "skill" is not present in line 19 of page 33, but rather, the word "skill" is present in line 20 of page 33. Applicant respectfully submits that the above amendment to the Specification at the paragraph beginning on page 33, line 19, does not contain new matter. Entry of the amendment to the Specification at the paragraph beginning on page 33, line 19, is respectfully requested.

Applicant has amended the Specification at the paragraph beginning on page 43, line 10, so as to replace "includea" with -- include a --, as shown, in order to correct an inadvertent mistake. Applicant respectfully submits that the above amendment to the Specification at the paragraph beginning on page 43, line 10, does not contain new matter. Entry of the amendment to the Specification at the paragraph beginning on page 43, line 10, is respectfully requested.

Applicant has amended the Specification at the paragraph beginning on page 76, line 15, so as to replace "patients" with -- patient's --, as shown, so as to replace "and or" with -- and/or --, in each instance shown, and so as to replace "repective" with -- respective --, as shown, in order to correct inadvertent mistakes. Applicant respectfully submits that the Examiner's Amendment to page 77, line 6, inadvertently noted that the replacement of "repective" with "respective" was to be made at line 6 of page 77. However, the word "repective" is not present in line 6 of page 77, but rather, the word "repective" is present in line 2 of page 77. Applicant respectfully submits that the above amendments to the Specification at the paragraph beginning on page 76, line 15, do not contain new matter. Entry of the amendments to the Specification at the paragraph beginning on page 76, line 15, is respectfully requested.

Entry of the amendments to the Specification is respectfully requested.

II. THE AMENDMENTS TO CLAIMS 53 and 60:

As noted above, Applicant has amended Claims 53 and 60. Entry of the amendments to Claims 53 and 60 is respectfully requested.

Applicant has amended Claim 53 so as to insert -- and -- after "second individual;", as shown, in order to correct an inadvertent mistake. Applicant respectfully submits that the amendment to Claim 53 does not contain new matter. Applicant further submits that the amendment to Claim 53 was not made for purposes related to patentability. Entry of the amendment to Claim 53 is respectfully requested.

Applicant has amended Claim 60 so as to insert -- and -- after "facility;", as shown, in order to correct an inadvertent mistake. Applicant respectfully submits that the amendment to Claim 60 does not contain new matter. Applicant further submits that the amendment to Claim 60 was not made for purposes related to patentability. Entry of the amendment to Claim 60 is respectfully requested.

Entry of the amendments to Claims 53 and 60 is respectfully requested.

III. CONCLUSION:

Entry of this Amendment After Allowance Pursuant to 37
C.F.R. §1.312 is respectfully requested.

Respectfully Submitted,



Raymond A. Joao
Reg. No. 35,907

Encl.: - Return Receipt Postcard

September 29, 2008

Raymond A. Joao, Esq.
122 Bellevue Place
Yonkers, New York 10703
(914) 969-2992